Airstream Bambi Check List

24/7 Access at Undercover RV Storage 470 N 2260 West, Hurricane. Off State Road 9, main route from I-15 to Zions Nation Park. Entry code [redacted] Stall # 6 along the fence, can't miss.

There is KeyBox on fence behind trailer CODE [redacted] for key to Bambi.

NOTE: Trailer MUST be tire chocked and front and rear stabilizers lowered when NOT attached to tow vehicle. It can roll and you will not be able to stop 2,800 pound trailer from rolling off the cliff. Keep safety chains connected when lifting off ball and pull 4" away, lower jacks. A pull thru camp site is best option if possible. You are not good at backing-up a small trailer that is easy to jack knife.

EXTERIOR

1. Unlock Bambi entry door and retrieve keys from hook on left side.
2. Return single key to lock box
3. Unlock Ball Socket Lock and stow in drawer under front dinette
4. Unlock Locking Lever lock and stow in drawer under front dinette
5. Make sure your hitch receiver is secure to tow vehicle
6. Back tow vehicle to check clearance to allow coupler to position squarely over ball mount. Electric jack up/down to desired position. If the battery is dead, connect 7 pin to tow vehicle.
7. If additional height needed, retract rear stabilizing jack with crank handle just inside the cabin. The pad will protect your knees.



8. Lift Locking Lever, Pull forward and up. Maintain up position
9. GENTLY lower coupler onto 2-5/16" ball. There are two extra receivers in the rear stowage area black bag. Also ¾" socket and breaker bar, hydraulic jack and flat repair canister if needed. ONLY jack on axel or spot indicated on under carriage.
10. May need to adjust stabilizing jacks.
11. Connect safety chains to tow vehicle receiver tube area
12. Place pin in locking lever to prevent release.
13. Connect 7 pin electrical to tow vehicle. Stow the cover to make sure is not lost. Make sure free of dirt and grime.

14. Start tow vehicle to check the running, brake and turn signal lights are functioning properly.
15. Remove wheel chocks and stow
16. Raise front and rear jack stands to highest position. Raise electric jack to highest position.
17. Conduct 360 degree Walk AROUND to make sure good to go.
18. Awning was disable because prior guest broke it. DO NOT USE.
19. Check tire air pressure is 50 psi once underway. Maverick by Wal-Mart if heading to I-15, Phillips 66 if heading on route 9 to Zions

INTERIOR

1. Cabin must be clean from former guest. REPORT immediately if NOT clean, they will forfeit $500.00 deposit
2. On the road. Make sure gear is secure. Suggest keep most personal stuff in your tow vehicle
3. Park trailer on flat surface, choke tires and lower stabilizing jacks. DO NOT attempt to lift 2800 pound trailer with the jacks. They will stress and bend. Just lower to ground.
4. Convert dinette to bed. Lift and lower table. Release pedestal under table. CAUTION. The left side rear edging has separated from the banding and can tear the cushions when lowered. Lift up cushion to allow table to lower into bed position.
5. AM/FM DVD/CD player is without instructions. Push in to power up and experiment. Push the pin on lower left to turn off. Failure to power off will discharge battery and you are without lights until connected to tow vehicle
6. 30-50 amp POWER cord is stowed in rear compartment on plastic reels, Connect to trailer FIRST then to outlet stand.
7. Connect water to campground water bib. Do not turn faucet to full position.
8. AC, TV and microwave is 110v ONLY
9. Furnace thermostat on rear wall is propane.
10. Refrigerator is both 110v and propane. Select gas if not connected to 110v
11. Two burner stove is recommended ONLY for boiling water for coffee and heating soup. There is a Coleman stove in the rear that connects to propane in the front left side for your steaks, breakfast pancakes & eggs etc. The small table is available to set up outside.
12. Screen door may be hard to close/open. Push upper top of door to clear the jamb stud.

14. Start tow vehicle to check the running, brake and turn signal lights are functioning properly.
15. Remove wheel chocks and stow
16. Raise front and rear jack stands to highest position. Raise electric jack to highest position.
17. Conduct 360 degree Walk AROUND to make sure good to go.
18. Awning was disable because prior guest broke it. DO NOT USE.
19. Check tire air pressure is 50 psi once underway. Maverick by Wal-Mart if heading to I-15, Phillips 66 if heading on route 9 to Zions

INTERIOR

1. Cabin must be clean from former guest. REPORT immediately if NOT clean, they will forfeit $500.00 deposit
2. On the road. Make sure gear is secure. Suggest keep most personal stuff in your tow vehicle
3. Park trailer on flat surface, choke tires and lower stabilizing jacks. DO NOT attempt to lift 2800 pound trailer with the jacks. They will stress and bend. Just lower to ground.
4. Convert dinette to bed. Lift and lower table. Release pedestal under table. CAUTION. The left side rear edging has separated from the banding and can tear the cushions when lowered. Lift up cushion to allow table to lower into bed position.
5. AM/FM DVD/CD player is without instructions. Push in to power up and experiment. Push the pin on lower left to turn off. Failure to power off will discharge battery and you are without lights until connected to tow vehicle
6. 30-50 amp POWER cord is stowed in rear compartment on plastic reels, Connect to trailer FIRST then to outlet stand.
7. Connect water to campground water bib. Do not turn faucet to full position.
8. AC, TV and microwave is 110v ONLY
9. Furnace thermostat on rear wall is propane.
10. Refrigerator is both 110v and propane. Select gas if not connected to 110v
11. Two burner stove is recommended ONLY for boiling water for coffee and heating soup. There is a Coleman stove in the rear that connects to propane in the front left side for your steaks, breakfast pancakes & eggs etc. The small table is available to set up outside.
12. Screen door may be hard to close/open. Push upper top of door to clear the jamb stud.

DEPARTURE

1. Drain potable water tank if used
2. Turn off water pump switch.
3. Secure TV Screen.
4. Close windows and vents.
5. Lock all interior cabinet doors.
6. Latch refrigerator door. (Seal containers first.)
7. Hold down or securely stack all loose, hard, and sharp objects.
8. Fasten foldette door.
9. Drain toilet bowl.
10. Turn off interior lights.
11. Set table in upright position.
12. Lower blinds
13. Pull up step.
14. Secure and lock main door
15. Disconnect and stow electrical cord, water hose.
16. Dump the toilet tank* See Below
17. Turn off gas at LP tanks
18. RETRACT STABERLIZING JACKS
19. PULL FORWARD about 3 feet to check brakes and hitch, receiver and site for items may be left behind. Camp chairs, personal items, trash, children and pets.
20. Conduct 360 degree Walk AROUND

DUMP SEWAGE TANK & WASH

Sewer hose is stowed in round tube in forward undercarriage. 90 degree adapter in rear storage area. Suggest dump holding tank at the last site visited if possible. There is FREE RV dump at the Maverick on corner of SR 9 and SR17 in town of La Verkin, Connect the flex tube stowed on round carrier on the left side under carriage. Use pole in closet to snag if necessary, don't puncture the hose. . Connect water line to clean out bib, open the valve gate and flush out. Will need to lift the drain hose off ground to flow. Watch the water pressure

RV wash coin operated on the east side open bay on SR 9 and 700 West in Hurricane. MUST wipe dry with towel at prevent water spots.

CALL CHUCK 435 640-0060 if problem or question and I will walk you thru it. There are tools in plastic box and tire stuff in black bag in rear storage area.